



C3273 9-5 (9600)

## 0360 Accessories chassis - Wheel - 16" (1998 - 2008)

Pos	Part No.	Article	Usage	Qty
1	400 106 563	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"5-SPOKE" 6, 5 X 16", (ALU 22)	4
2	400 109 583	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"10-SPOKE" 6, 5 X 16", (ALU 25)	4
3	400 107 025	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"5-SPOKE SPLIT" 6, 5 X 16"	4
4	400 108 361	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"3-SPOKE" 6, 5 X 16", (ALU 26)	4
5	400 109 336	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"LONG SPOKE" 6, 5 X 16", (ALU 27)	4
6	400 100 723	Light alloy wheel Note: Not for B235R. 2002- Not for B308E and D308L. See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"SUPER AERO" 6, 5 X 16"	4
7	400 106 530	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"VIKING" 6, 5 X 16", (ALU 8)	4
8	400 106 472	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	1998-2007, "7-SPOKE" 6, 5 X 16", (ALU 29) 2008-2009, "7-SPOKE" 6, 5 X 16", (ALU 29) 2010-2011, "7-SPOKE" 6, 5 X 16", (ALU 29) 2012-2013, "7-SPOKE" 6, 5 X 16", (ALU 29) 2014-2015, "7-SPOKE" 6, 5 X 16", (ALU 29) 2016-2017, "7-SPOKE" 6, 5 X 16", (ALU 29) 2018-2019, "7-SPOKE" 6, 5 X 16", (ALU 29) 2020-2021, "7-SPOKE" 6, 5 X 16", (ALU 29) 2022-2023, "7-SPOKE" 6, 5 X 16", (ALU 29) 2024-2025, "7-SPOKE" 6, 5 X 16", (ALU 29)	4
9	400 128 799	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"3-SPOKE TWIN" 6, 5 X 16", (ALU 35)	4
10	400 130 977	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"10-SPOKE LINEAR" 6, 5 X 16", (ALU 38)	4
10	400 133 385	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes	"10-SPOKE FORGED" 6, 5 X 16", (ALU 51)	4
11	400 127 882	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate	1998-2007, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2008-2009, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2010-2011, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2012-2013, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2014-2015, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2016-2017, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2018-2019, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2020-2021, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2022-2023, "5-SPOKE ARC" 6, 5 X 16", (ALU 47) 2024-2025, "5-SPOKE ARC" 6, 5 X 16", (ALU 47)	4

## 0360 Accessories chassis - Wheel - 16" (1998 - 2008)

Pos	Part No.	Article	Usage	Qty
12	400 130 936	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate	"10-SPOKE SCULPTED" 6, 5 X 16"	4
13	55 31 355	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Type 10. (For ordering)	"9-SPOKE DOUBLE" 6, 5 X 16" (ALU 4	4
15	400 106 522	Hub cap	1998-2000	4
16	400 100 707	Wheel cap		4
17	400 102 505	Valve		4