



C3190 9-5 (9600)

0370 Accessories chassis - Wheel - 17" (1998 - 2008)

Pos	Part No.	Article	Usage	Qty
1	400 106 589	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	"3-SPOKE SPORT" 7 X 17", (ALU 20)	4
1	400 106 589	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	LHD, CA, US, "3-SPOKE SPORT" 7 X 17", (ALU 20)	4
2	400 128 849	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	"3-SPOKE QUAD" 7 X 17", (ALU 41)	4
2	400 128 849	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	LHD, CA, US, "3-SPOKE QUAD" 7 X 17", (ALU 41)	4
3	400 131 579	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	"6-SPOKE" 7 X17", (ALU 48)	4
3	400 131 579	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	CA, US, "6-SPOKE" 7 X17", (ALU 48)	4
4	400 130 985	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	1998-2007, "10-SPOKE" 7 X 17", (ALU 49) And 1999-2006, US, "10-SPOKE" 7 X 17", (ALU 49)	4
4	400 130 985	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	1999-2007, CA, US, "10-SPOKE" 7 X 17", (ALU 49) And 1999-2006, US, "10-SPOKE" 7 X 17", (ALU 49)	4
5	400 130 928	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	"5-SPOKE 2-PIECE" 7 X 17"	4
5	400 130 928	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	CA, US, "5-SPOKE 2-PIECE" 7 X 17"	4

0370 Accessories chassis - Wheel - 17" (1998 - 2008)

Pos	Part No.	Article	Usage	Qty
6	400 130 803	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	"6-SPOKE SPLIT" 7x17"	4
6	400 130 803	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	CA, US, "6-SPOKE SPLIT" 7x17"	4
7	400 132 593	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	"5-SPOKE" 7x17"	4
7	400 132 593	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	CA, US, "5-SPOKE" 7x17"	4
8	400 133 377	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	"5-SPOKE EWO" 7x17" (ALU 52)	4
8	400 133 377	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	CA, US, "5-SPOKE EWO" 7x17" (ALU 52)	4
9	55 31 363	Light alloy wheel Note: Type 10. (For ordering) See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	1998-2008, "7-SPOKE TWIN" 7x17" (ALU 55)	4
9	55 31 363	Light alloy wheel Note: Type 10. (For ordering) See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	1999-2008, CA, US, "7-SPOKE TWIN" 7x17" (ALU 55)	4
10	32 025 564	Light alloy wheel Note: Not for AU and JP. See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	1998-2008, "5-SPOKE DOUBLE WING " 7.5 x 17"	4
10	32 025 564	Light alloy wheel Note: Not for AU and JP. See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	1999-2008, CA, US, "5-SPOKE DOUBLE WING " 7.5 x 17"	4

0370 Accessories chassis - Wheel - 17" (1998 - 2008)

Pos	Part No.	Article	Usage	Qty
11	12 757 104	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	1998-2008, "5-SPOKE TWIN" 7.5 x 17 74117015	4
11	12 757 104	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	1999-2008, CA, US, "5-SPOKE TWIN" 7.5 x 17 74117015	4
12	12 771 523	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. W3081465--	1998-2008, "5-TWINSPOKE" (ALU) 7.5 x 17 74117015	4
12	12 771 523	Light alloy wheel Note: See the owner's manual for the car for recommended dimensions of wheels and tyres Suitable for cars with 15" brakes, 16" brakes and 16"+ brakes Suitable for cars with max. axle load of 1150 kg. See cars's chassis data plate Ch. X3002436--	1999-2008, CA, US, "5-TWINSPOKE" (ALU) 7.5 x 17 74117015	4
20	400 129 748	Hub cap	1998-2003, NLS-USE 12775052	1